

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/853,639	05/14/2001	Akira Oosawa	Q61187	7275
7590 04/06/2004			EXAMINER	
SUGHRUE, N			TABATABAI, ABOLFAZL	
MACPEAK & SEAS, PLLC 2100 Pennsylvania Avenue, N.W. Washington, DC 20037-3202			ART UNIT	PAPER NUMBER
			2625	
		·	DATE MAILED: 04/06/2004	3

Please find below and/or attached an Office communication concerning this application or proceeding.

		\				
•	Application No.	Applicant(s)				
	09/853,639	OOSAWA, AKIRA				
Office Action Summary	Examiner	Art Unit				
	Abolfazl Tabatabai	2625				
The MAILING DATE of this communicate Period for Reply	tion appears on the cover sheet with	the correspondence address				
A SHORTENED STATUTORY PERIOD FOR THE MAILING DATE OF THIS COMMUNICA - Extensions of time may be available under the provisions of 3 after SIX (6) MONTHS from the mailing date of this communic - If the period for reply specified above is less than thirty (30) da - If NO period for reply is specified above, the maximum statuto - Failure to reply within the set or extended period for reply will, Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	ATION. 7 CFR 1.136(a). In no event, however, may a replication. ays, a reply within the statutory minimum of thirty (for y period will apply and will expire SIX (6) MONTH by statute, cause the application to become ABAN	y be timely filed 30) days will be considered timely. IS from the mailing date of this communication. IDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed of	on <i>14 May 2001</i> .					
· · · · ·	☐ This action is non-final.					
Disposition of Claims						
4) Claim(s) 1-19 is/are pending in the apple 4a) Of the above claim(s) is/are versions 5) Claim(s) is/are allowed. 6) Claim(s) 1-4,6-13 and 16-19 is/are rejected to 5. Claim(s) 5,14 and 15 is/are objected to 8) Claim(s) are subject to restriction	withdrawn from consideration. cted.					
Application Papers						
9) The specification is objected to by the E 10) The drawing(s) filed on 14 May 2001 is/s Applicant may not request that any objection Replacement drawing sheet(s) including the	are: a) \square accepted or b) \square objecte in to the drawing(s) be held in abeyance correction is required if the drawing(s)	e. See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for a) All b) Some * c) None of: 1. Certified copies of the priority documents. 2. Certified copies of the priority documents.	cuments have been received. cuments have been received in App he priority documents have been re Bureau (PCT Rule 17.2(a)).	olication No eceived in this National Stage				
Attachment(s) 1) ☑ Notice of References Cited (PTO-892) 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO Paper No(s)/Mail Date	948) Paper No(s)/N	nmary (PTO-413) Mail Date rmal Patent Application (PTO-152)				

Art Unit: 2625

Claim Objections

1. Claims 1-4, 10, 11, 14, 15 and 17 are objected to because of the following informalities:

There is no space between the words of claims 2-4, 10, 11, 14, 15 and 17. For example claim 2, line 1 and claim 3, lines 1 and 2 have no spaces between the words.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-4,6,7,10-13, 16 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kano et al (U S 5,359,513) in view of Maceda et al (U S 5,153,444).

Regarding claim 1, Kano discloses a method of matching positions of images, in which positions of two images of a single same object are matched with each other, the method comprising the steps of:

- i) performing approximate position matching processing with respect to entire areas of the two images (column 2, lines 38-50 and column 6, lines 45-62);
- ii) selecting local area limited regions, in the two images, whose positions have been approximately matched with each other by the approximate position matching processing (column 5, lines 1-16 and 48-57).

Art Unit: 2625

iii) performing position re-matching processing with respect to at least the local area limited regions, which have thus been selected (column 5, lines 1-12 and 48-57). However, Kano is silent about the specific details regarding a degree of shift is high. In the same field "matching position" on endeavor, however, Maceda discloses a system for detecting patterns comprising a degree of shift is high (column 7, lines 19-27 and column 28, lines 34-52).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use a degree of shift is high as taught by Maceda in the system of Kano because Maceda provides Kano a system which is capable of performing the pattern defect detection with the two-cell comparison method and the two-cell comparison method switched to each other automatically, without the need for specifying the coordinate and also a plurality of shifted images in alignment with a high degree of agreement are selected for two patterns and errors between two patterns are calculated for each pixel using values at all the shifted positions and values in the vicinity therefore, whereby and error image is generated and , depending therein, pattern recognition is performed.

Regarding claim 2, Kano discloses a method wherein the approximate position matching processing is global position matching processing for performing transform processing comprising at least one kind of processing, which is among rotating processing (column 6, lines 28-34), parallel translation, and image size enlargement or reduction processing (column 13, lines 34-45), on an entire area of at least either one of the two images (column 5, lines 1-12 and 48-57).

Art Unit: 2625

Regarding claim 3, Kano discloses a method wherein the approximate position matching processing is local position matching processing for:

setting a plurality of template regions, which are small regions, in one of the two images (column 8, lines 54-64 and column 11, lines 10-21);

setting a plurality of search regions, each of which corresponds to one of the template regions having been set in the one image and is larger than each of the template regions, in the other image (column 8, lines 54-64);

determining a subregion in each of the search regions, in which subregion an image pattern approximately coincides with the image pattern within the corresponding template region (column 7, lines 22-31); and,

performing nonlinear strain transform processing on the entire area of at least either one of the two images and in accordance with corresponding position relationships between the subregions, which have thus been determined, and the corresponding template regions, such that the two images approximately coincide with each other (column 12, lines 1-18).

Claim 4, is similarly analyzed as claim 3 above.

Regarding claim 6, Kano is silent about the specific details regarding the selection of the local area limited regions, between which the degree of shift is high, is performed by setting a plurality of sets of corresponding local area limited regions in the two images, calculating the degree of shift between the corresponding local area limited regions in the two images and with respect to each of the sets of the corresponding local area limited local area limited

Art Unit: 2625

regions, between which the degree of shift is high, in the two images in accordance with the degrees of shift, which have been calculated with respect to the sets of the corresponding local area limited regions in the two images.

In the same field "matching position" on endeavor, however, Maceda discloses a system for detecting patterns comprising the selection of the local area limited regions (column 10, lines 37-49), between which the degree of shift is high (column 7, lines 19-27), is performed by setting a plurality of sets of corresponding local area limited regions in the two images, calculating the degree of shift between the corresponding local area limited regions in the two images and with respect to each of the sets of the corresponding local area limited regions in the two images, and selecting the local area limited regions, between which the degree of shift is high, in the two images in accordance with the degrees of shift, which have been calculated with respect to the sets of the corresponding local area limited regions in the two images (column 27, lines 8-25 and column 30, lines 41-58).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use calculating the degree of shift between the corresponding local area of the sets of the corresponding local limited regions in the two images as taught by Maceda in the system of Kano because Maceda provides Kano a system which is capable of performing the pattern defect detection with the two-cell comparison method and the two-cell comparison method switched to each other automatically, without the need for specifying the coordinate and also a plurality of shifted images in alignment with a high degree of agreement are selected for two patterns and errors

Art Unit: 2625

between two patterns are calculated for each pixel using values at all the shifted positions and values in the vicinity therefore, whereby and error image is generated and, depending therein, pattern recognition is performed.

Regarding claim 7,Kano is silent about the specific details regarding the degree of shift between the corresponding local area limited regions is calculated as a total sum value of absolute values of pixel value differences between corresponding pixels in the corresponding local area limited regions in the two images, and the selection of the local area limited regions, between which the degree of shift is high, is made by performing threshold value processing on the total sum value of the absolute values of the pixel value differences between the corresponding pixels in the corresponding local area limited regions.

In the same field "matching position" on endeavor, however, Maceda discloses a system for detecting patterns comprising the degree of shift between the corresponding local area limited regions is calculated as a total sum value of absolute values of pixel value differences between corresponding pixels in the corresponding local area limited regions in the two images (column 27, lines 8-24), and the selection of the local area limited regions, between which the degree of shift is high, is made by performing threshold value processing on the total sum value of the absolute values of the pixel value differences between the corresponding pixels in the corresponding local area limited regions (column 15, lines 3-30).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use calculating the degree of shift between the corresponding

Art Unit: 2625

local area of the sets of the corresponding local limited regions in the two images and performing threshold value as taught by Maceda in the system of Kano because Maceda provides Kano a system which is capable of performing the pattern defect detection with the two-cell comparison method and the two-cell comparison method switched to each other automatically, without the need for specifying the coordinate and also a plurality of shifted images in alignment with a high degree of agreement are selected for two patterns and errors between two patterns are calculated for each pixel using values at all the shifted positions and values in the vicinity therefore, whereby and error image is generated and, depending therein, pattern recognition is performed.

Claim 10, is similarly analyzed as claim 1 above.

Claim 11, is similarly analyzed as claim 2 above.

Claim 12, is similarly analyzed as claim 3 above.

Claim 13, is similarly analyzed as claim 4 above.

Claim 16, is similarly analyzed as claim 6 above.

Claim 17, is similarly analyzed as claim 7 above.

4. Claims 8, 9, 18 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kano et al (U S 5,359,513) and Maceda et al (U S 5,153,444) as applied to claims 1 and 10 above and further in view of Suzuki et al (U S 5,572,566).

Regarding claim 8, Kano and Meceda are silent about the specific details regarding the two images are images, which have been recorded in a time series manner at different points of time.

Art Unit: 2625

In the same field on endeavor, however, Suzuki x-ray imaging system and x-ray generating detector for activating the same comprising the two images are images, which have been recorded in a time series manner at different points of time (column6, lines 1-19 and column 9, lines 57-64).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use images recorded in a time series manner as taught by Suzuki in the system of Kano because Suzuki provides Kano a system in which cooperation of an x-ray generator and an image processing device is realized so that the workability of the x-ray imaging is improved, and the timing of an x-ray exposure and that of starting the operation of reading an image from and imager device are made constant so the a stable x-ray image is obtained.

Regarding claim 9, Kano and Meceda are silent about the specific details regarding the two images are medical radiation images.

In the same field on endeavor, however, Suzuki x-ray imaging system and x-ray generating detector for activating the same comprising the two images are medical radiation images (column 9, lines 57-67).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use medical radiation images as taught by Suzuki in the system of Kano because Suzuki provides Kano a system in which cooperation of an x-ray generator and an image processing device is realized so that the workability of the x-ray imaging is improved, and the timing of an x-ray exposure and that of starting the

Art Unit: 2625

operation of reading an image from and imager device are made constant so the a stable x-ray image is obtained.

Claim 18, is similarly analyzed as claim 8 above.

Claim 19, is similarly analyzed as claim 9 above.

Allowable Subject Matter

5. Claims 5, 14 and 15 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Other prior art cited

- 6. The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure.
- U. S. Patent (U S 6,563,943 B1) to Sasada is cited for connection processing method for radiation images.
- U.S. Patent (U S 6,563,942 B2) to Takeo et al is cited for method for adjusting positions of radiation images.
- U.S. Patent (U S 6,317,510 B1) to Murakami is cited for blackening processing method and apparatus.
- U.S. Patent (U S 6,600,831 B1) to Sasada is cited for connection processing method for radiation images.

Art Unit: 2625

Contact Information

Page 10

7. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to ABOLFAZL TABATABAI whose telephone number is (703) 306-5917.

The Examiner can normally be reached on Monday through Friday from 9:30 a.m. to 7:30 p.m. If attempts to reach the examiner by telephone are unsuccessful, the Examiner's supervisor, Mehta Bhavesh M, can be reached at (703) 308-5246. The fax phone number for organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Abolfazl Tabatabai

Patent Examiner

Group Art Unit 2625

March 29, 2004

BHAVESH M. MEHTA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600